



# *Neem America Incorporated*

presents

## The White Paper Series – Paper 4

### **A Compilation of Research and Studies Done on Neem**

As Neem is still not considered a mainstream product, like Aloe Vera, in many markets, it was much harder gathering clinical studies, excerpts, research and work done on Neem.

A compilation of exhaustive collection of research papers, articles, trials and even speeches on Neem.

Research is never complete, as the world is dynamic and new research is being created daily. I would thus appreciate any additions to this White Paper Series, if you were to come across a research paper, excerpts or clinical studies on Neem.

### **TABLE OF CONTENTS**

A.....	Page 2
B.....	Page 3 - 5
C.....	Page 6 - 7
D.....	Page 8 - 9
E.....	Page 10
F.....	Page 10
G.....	Page 11 - 12
H.....	Page 13
I.....	Page 13
J.....	Page 14
K.....	Page 15 - 16
L.....	Page 17
M.....	Page 18
N.....	Page 19
O.....	Page 20
P.....	Page 21 - 22
Q.....	Page 23
R.....	Page 24 - 25
S.....	Page 26 - 29
T.....	Page 30 - 31
U.....	Page 32
V.....	Page 33
W.....	Page 34
X, Y, Z.....	Page 34

# A

- Abatan, M.O. and Makinde, M.J., 1986). Screening *Azadirachta indica* and *Pisum sativum* for possible antimalarial activities. *Journal of Ethnopharmacology*. 17: 85-93.
- Alam, M.M., Siddiqui, M.B. and Husain, W. ( 1989) Treatment of diabetes through herbal drugs in rural India. *Fitoterapia*. Vol. LXI, No. 3. 240-242.



- Badam, L., Deolankar, R.P., Kulkarni, M.M., Nagsanngi, B.A. and Wagh, U.V. (1987) In vitro antimalarial activity of neem (*Azadirachta indica*) leaf and seed extracts. *Indian Journal of Malariology*. 24: 111-117.
- Bains, S.S., Prasad, R. and Bhatia, P.C. (1971) Use of indigenous materials to enhance the efficiency of fertilizer nitrogen for rice. *Fert. News*. 16: 30-30, 52.
- Banarjee, S., Rembold, H. (1992) Azadirachtin A interferes with control of serotonin pools in the neuroendocrine system of locusts. *Naturwissenschaften*. Feb; 79(2):81-4.
- Banarjee, S. (1994) Serotonin immunoreactivity and its content in Azadirachtin treated locusts. *Proceedings of the Academy of Environmental Biology*; 3(1):25-31.
- Bardham, J., et.al., (1991) Neem oil - a fertility controlling agent in rhesus monkeys. *Oct 35(4):278-80*.
- Basak, S.P. and Chakraborty, D.P. (1968) Chemical investigation of azadirachta indica leaf (*Melia azadirachta*). *Journal of the Indian Chemical Society*. Vol 45 No. 5. p 466-467.
- Basu, A. (1956) A specific for leucoderma. *Journal, Bombay Nat. Hist. Society*. 53(4):743-45.
- Bawasakar, V.S., Mane, D.A., Hapse, D.G. and Zende, G.K. (1980) Use of neem (*Azadirachta indica*) cake as a blending material for economy in sugarcane Coop, *Sugar*. 11(8): 1-7.

- Beard, J. (1989) Tree may hold the key to curbing Chagas' parasite. *New Scientist*, Oct. p 31.
- Beardsley, T. (1992) Cellular response: are antibodies the most effective against AIDS? *Scientific American* December 1992, pp. 42-44.
- Bhandri, P.R., and Mukerji, B.; The neem: Indian lilac (*Azadirachta indica*). *The Eastern Pharmacist*, Jan.;2(13): 21-24.
- Bhargava, A.K. (1987) Neem oil as a synergist to anti-diabetic drugs for management of secondary hyperglycemia. *Neem Newsletter.*, 4(3):31-32.
- Bhargava, K.P., Gupta, M.B., Gupta, G.P. and Mitra, C.R. (1970) Anti-inflammatory activity of saponins and other natural products. *Indian Journal of Medical Research* 58: 724-730.
- Bhatnagar, D. and Zeringue, H.J. (1993) Neem Leaf Extracts (*Azadirachta Indica*) inhibit biosynthesis in *aspergillus flavus* and *A. parasiticus*. *Proceedings of the World Neem Conference, Bangalore, India. Feb. 24-28, 1993.*
- Bhide, N.K., Mehta, D.J., and Lewis, R.A., Attakar, W.W. (1958) Toxicity of sodium nimbinate. *Indian Journal of Medical Science* 12: 146-148.
- Bhide, N.K., Mehta, D.J., and Lewis, R.A. (1958a) Diuretic action of sodium nimbinate. *Indian Journal of Medical Science* 12: 141-145.
- Bhowmick, B.N. and Choudharg, B.K. (1982). Anti-fungal activity of leaf extracts of medicinal plants on *Alternaria alternata*. *Indian Botanical Reporter*. 1: 164-165.
- Boschitz, C., Grunewald, J. (1994). The effect of NeemAzal on *Aedes aegypti* (Diptera: culicidae). *Appl Parasitol*, Nov; 35(4):251-6.
- Brahmachari, H.D., and Sharma, C.B. (1958) Ascorbic acid (vitamin C) content of some fruits and vegetables in the desert areas of Rajasthan. *Indian J of Applied Chemistry*. 21(1). 39-40.

- Bray, D.H., Warhurst, D.C., Connolly, J.D., O'Neill, M.J. and Phillipson, J.D. (1990) Plants as a source of antimalarial drugs. Part 7. Activity of some species of Meliaceae plants and their constituent liminoids. *Phytotherapy Research*. Vol. 4. No. 1. 29-35.



- Caldwell, M. (1994) Blessed with resistance. Discover, December 1994. pp 46-48.
- Chiaki,, N., Yoshio, K., Shigehiro, Y., Masaki, S., Yasuko, T. and Takeo, N. (1987) Polysaccharides as enhancers of antibody formation. Japan Kokai Tokkyo Koho JP 62,167729 (Cl.A61K31/715) pp. 6.
- Chakraborty, T., Podder, G. and Saha, J. (1984a) Phytochemical screening of medicinal plants for antidiabetic agents. Proc. Nat. Symp. on Applied Biotech. of Med. Aromatic Timber Yielding Plants. 12-13 Jan, 1984 pp. 370-380.
- Chakraborty, T. and Podder, G. (1984b) Herbal drugs in diabetes - Part I: Hypoglycemic activity of indigenous plants in Streptozotocin (STZ) induced diabetic rats. Journal of Inst. Chemists. (India) Vol. 56, 20-22.
- Charles, V., Charles, S.X. (1992) The use and efficacy of *Azadirachta indica* (neem) and *Curcuma longa* (Turmeric) in scabies. A pilot study. Trop Geogr Med. 44(1-2):178-81.
- Chary, M.P., Reddy, E.J.S. and Reddy, S.M. (1984) Screening of indigenous plants for their antifungal principle. Pesticides. 18 (4) 17-18.
- Chatterjee, K.K. (1961) Treatment of cancer: a prelude. Indian Medical Record. 81: 101.
- Chattopadhyay, R.R., Sarkar, S.K., Ganguly, S., Banerjee, R.N. (1992a) Active effects of *Azadirachta indica* leaves on some biochemical constituents of blood in rats. Science & Culture. 58(1&2): 39-40.

- Chattopadhyay, R.R., Sarkar, S.K., Ganguly, S., Banerjee, R.N. (1992b) Hepatoprotective activity of azadirachta indica leaves on paracetamol induced hepatic damage in rats. Indian Journal of Experimental Biology. 738-740.
- Chattopadhyay, R.R., Sarkar, S.K., Ganguly, S., Basu, T.K. (1994) A comparative evaluation of some antiinflammatory agents of plant origin. Fitoterapia; 65(2):146-148.
- Chinnassamy, N., et. al., (1993) Toxicological studies on debitterized neem oil. Food Chem. Toxicol. Apr; 31(4) 297-301.
- Chopra, I.C., Gupta, K.C. and Nazir, B.N. (1952) Preliminary study of antibacterial substances from Melia azadirachta. Indian Journal of Medical Research 40: 511-515.
- Chopra, R.N., Nayar, S.L. and Chopra, J.C. (1956). Glossary of Indian Medicinal Plants. C.S.I.R. Publications, New Dehli, India. pp. 31-32.
- Chopra, I.C. (1958) Proceedings of the Symposium on antibiotics. Council of Scientific and Industrial Research, India pp. 43. Chopra, R.N., Budhwar, R.L. and Ghosh, S. (1965) Poisonous plants of India. Indian Agricultural Research Institute, New Dehli. 1: 245.



- Dakshinmurthi, K. (1954) The amino acids in the leaf of *Azadirachta indica* (Melia) *Current Science* (Bangalore), 23: 125-126.
- Datur, J.F. (1977) *Medicinal Plants of India and Pakistan*. D.B. Taraporevala Sons, & Co., Bombay, India. pp. 29-31.
- David, S.N. (1965) The anti-fungal activity of neem oil and its constituents. *Mediscope*, 8: 322-325.
- David, S.N. (1969) Anti-pyretic of neem oil and its constituents. *Mediscope*. 12: 25-27.
- David, S.N. (1978) Effect of neem oil and its constituents on cotton pellet inflammation. *Mediscope*. 20: 273-274.
- Debelmas, A.M. and Hach, J. (1976) Etude pharmacologique de quelques plantes medicinales du Nepal. Toxicite aigüe etude comportementale et action sur le systeme nerveux central. *Planta medicinales et phylotherapie*. 10: 128-138.
- Deshpande, V.Y., Mendulkar, K.N. and Sadre, N.L. (1980) Male anti-fertility activity of *Azadirachta indica* in mice. *Journal of Postgraduate Medicine*, Bombay. 26: 167-170.
- Dey, K.L. and Mair, W. (1973) *The indigenous drugs of India*. 2nd ed. Pama, Primlane, Chronica Botanica, New Dehli, India. pp. 186-187.
- Dey, A.C. (1980) *Indian Medicinal Plants used in Ayurvedic Preparations*. Bishen Singh Mahendra Pal Singh, Debra Dun, India pp. 165-166.

- Dhar, R., et. al., (1996). Effect of volatiles from neem and other natural products on gonotrophic cycle and oviposition of *Anopheles stephensi* and *An. culicifacies* (Diptera; culicidae) *J. Med Entomol*, Mar; 33(2):195-201.
- Dunkel, F.V., Serugendo, A., Breene, W.M., Sriharan, S., (1995). Influence of insecticidal plant materials used during storage on sensory attributes and instrumental hardness of dry edible beans (*Phaseolus vulgaris* L.). *Plant Foods Hum Nutr.*, Jul; 48(1):1-16.
- Dixit, V.P., Sinha, R. and Tank, R. (1986) Effect of neem seed oil on the blood glucose concentration of normal and alloxan diabetic rats. *Journal of Ethnopharmacology*. 17: 95-98.
- Dymock, W., Warden, C.J.H. and Hooper, D. (1890) *Pharmacographia Indica*. Vol. 1, Keegan Paul, Trench and Trubner & Co., London. pp. 322-330.

## E

- Ekanem, O.J. (1978) Has *Azadirachta indica* (Dongoyaro) any anti-malarial activity? *Nigerian Medical Journal*. 8: 8-10.
- El-Hawary, Z.M., Kholief, T.S. (1990) Biochemical studies on hypoglycemic agents (1) Effect of *Azadirachta indica* leaf extract. *Archives of Pharmacal Research*. 13(1): 108-112.
- Elvin-Lewis, M. (1980) Plants used for teeth cleaning throughout the world. *Journal of Preventative Dentistry*. 6: 61-70.
- Etkin, N.A., Hausa herbal pharmacopia: biomedical evaluation of commonly used medicines. *Journal of Ethnopharmacology*. 4: 75-98.

## F

- Fujiwara, T., Takeda, T., Ogihara, Y., Shimizu, T. and Tomita, Y. (1982) Studies on the structure of polysaccharides from the bark of *Melia azadirachta*. *Chem. Pharm. Bull. (Tokyo)*, 30: 4025-4030.
- Fujiwara, T., Sugishita, E., Takeda, T., Ogihara, Y., Shimizu, M., Nomura, T. and Tomita, Y. (1984) Further studies on the structure of polysaccharides from the bark of the *Melia azadirachta*. *Chemical and Pharmaceutical Bulletin* 32: 1385-1391



- Gandhi, M., Lal, R., Sankaranarayanan, A., Banerjee, C.K. and Sharma, P.L. (1988). Acute toxicity study of the oil from *Azadirachta indica* seed (neem oil). *Journal of Ethnopharmacology*. 23: 39-51.
- Garg, S., Singh, R., Kaur, R., Dhar, V. Taluja, V. and Talwar, G.P.(undated) Praneem polyherbal cream for contraception and genital tract infections. National Institute of Immunology.
- Garg, H.S. and Bhakuni, D.S. (1984) An isoprenylated flavanone from leaves of *Azadirachta indica*. *Phytochemistry*, 23: 2115-2118.
- Garg, H.S., Talwar, G.P., Upadhyay, S.N., Mittal, A. and Kapoor, S. (1993). Identification and characterization of the immunomodulatory fraction from neem-seed extract responsible for long-term antifertility activity after intrauterine administration. *Proceedings of the World Neem Conference, Bangalore, India. Feb. 24-28, 1993.*
- Garg, H.S., Talwar, G.P., Upadhyay, (1994) Comparison of extraction procedures on the immunocontraceptive activity of neem seed extracts. *J Ethnopharmacol*, Oct; 44(2):87-92.
- Garg, S., Taluja, V., Upadhyay, S.N., Talwar, G.P. (1993) Studies on the contraceptive efficacy of Praneem polyherbal cream. *Contraception*. Dec; 48(6):591-6.
- Garg, G.P., Ogle, C.W., Nigam, S.K. (1991) Mechanism of anti-ulcer action of leaves of the neem tree. *Proc. 24th Indian Pharmacol. Soc. Conference, Ahmedabad, Gujarat, India, December 29-31, 1991, p. 40, (Eng).*

- Garg, G.P., Nigam, S.K. and Ogle, C.W. (1993) The gastric antiulcer effects of the leaves of the neem tree. *Planta Medica* (59) 215-217.
- Grant, I.F., Seegers, K. and Watanabe, I. (1984). Increasing biological nitrogen fixation in flooded rice using neem. In *Proceedings of the 2nd International Neem Conference*. Ravisch-holzhausen. West Germany, May 25, 1983. pp. 493-506.

## H

- Hartwell, J.L. (1983). Plants used against cancer, a survey. *Quarterman (Lawrence, M.A.)* 33: 181.

## I

- Ibrahim, I.A., Khalid, S.A., Omer, S.A. and Adam, S.E.I. (1992) On the toxicity of *azadirachta indica* leaves. *Journal of Ethnopharmacology*. 35. 267-273.
- Iwu, M.M., Obidoa, O. and Anazodo, M. (1986) Biochemical mechanism of the antimalarial activity of *Azadirachta indica* leaf extract. *Pharmacological Research Communications*. 18: 81-91.

# J

- Jaiswal, arun K., Bhattacharya, Salil K., Acharya, Satya B., (1994) Anxiolytic activity of *Azadirachta indica* leaf extract in rats. *Indian Journal of Experimental Biology*. 32: 489-491.
- Jayaweera, D.M.A. (1982) *Medicinal Plants (Indigenous and Exotic) used in Ceylon, Part IV*. The National Science Council of Sri Lanka, Colombo. pp. 52-53.
- Jones, I.W., et. al., (1994). Sexual development of malaria parasites is inhibited in vitro by neem extract and its semi-synthetic analogues. *FEMS Microbiol Lett*. Jul. 15; 120(3):267-73.
- Jongen, W.M.F. and Koeman, J.H. (1983) Mutagenicity testing of two tropical plant materials with pesticidal potential in *Salmonella typhimurium*: *Phytobacca dodecandra* berries and oil from seeds of *Azadirachta indica*. *Environmental Mutagenesis* 5: 687-694.
- Juneja, S.C., Williams, R.S. (1993) Mouse sperm-egg interaction in vitro in the presence of neem oil. (unpublished).
- Juneja, S.C., Pfeifer, T., Williams, R.S., Chegini, N. (1994) Neem Oil inhibits two-cell embryo development and trophectoderm attachment and proliferation in vitro. *J Assist Reprod Genet*. Sept; 11(8): 419-27.



- Kehra, N.D. and Nagi, S.S. (1949) Neem leaves as a feed for livestock. *Current Science (Bangalore)*, 18: 325.
- Ketkar, C.M. (1976) Utilization of Neem (*azadirachta indica*) J. and its by-products. Final Technical Report. Directorate of Non-edible Oils and Soap Industry. Khadi and Village Industries Commission. 1st ed. Nana Dengle Sadhana Press, Poona, India.
- Khalid, S.A., Farouk, A., Geary, T.G. and Jensen, J.B. (1986) Potential antimalarial candidates from African plants. An in vitro approach using *Plasmodium falciparum*. *Journal of Ethnopharmacology*. 15: 201-209.
- Khalid, S.A., Duddeck, H., Gonzalez-Sierra, M. (1989). Gedunin is molecule responsible for anti-malarial activity, found in bark of neem tree. *Journal of Natural Products*, Sep-Oct. 52(5);922-927.
- Khalid, S.A., Duddeck, H., Gonzalez-Sierra, M. (1989) Isolation and characterization of an anti-malarial agent of the neem tree (*Azadirachta indica*). *Journal of Natural Products*. 52[2] 922-926.
- Khan, M., Schneider, B., Wassilew, S.W., Splanemann, V.,(1988). Petrolether leaf extract proved effective as an antimycotic, possibly due to quercetins (a flavonoid) in the leaves. *Z Hautkr.* Jun 15;63(6):499-502.
- Khan, M.M., Khan, M. and Saxena, S.K. (1974) Rhizospere fungi and nematodes of egg plant as influenced by oil cake amendments. *Indian Phytopathol.* 27: 480-484.

- Khan, M. and Wassilew, S.W. (1987) The effects of raw material from the neem tree, neem oil and neem extracts on fungi pathogenic to humans. In Proceedings of the 3rd International Neem Conference, Nairobi, Kenya, July 10, 1986. pp. 685-650.
- Khan, M., Plempei, M. and Wassilew, S.W. (1991) The effect of petrol ether - extract of neem leaves on fungi pathogenic to humans in vitro and in vivo. Recent advances in medicinal, aromatic and spice crops. Vol. I. p 269-272.
- Khanna, K.K. and Chandra, S. (1972) Antifungal activity of some plant extracts. Proceedings of the National Academy of Science, India. 42 (B) III.
- Khanna, N., Goswami, M., Sen, P., Ray, A. (1995) Antinociceptive action of *Azadirachta indica* (neem) in mice: possible mechanisms involved. Indian J Exp Biol. Nov; 33(11):848-50.
- Khare, A.K., Srivastava, M.C., Sharma, M.K. and Tewari, J.P. (1984) Antifertility activity of neem oil in rabbits and rats. Probe. 23: 90-93.
- Khattak, S.G., Gilani, S.N., and Ikram, M. (1985) Anti-pyretic studies on some indigenous Pakistani medicinal plants. Journal of Ethnopharmacology 14:45-51.
- Kher, A. and Chauraisia, S.C. (1977) Anti-fungal activity of essential oils of three medicinal plants. Indian Drugs. 15: 41-42.
- Koga, Y., Yoshida, I., Kimura, A., Yoshino, M., Yamashita, F. and Sinniah, D. (1987) Inhibition of mitochondrial functions by margosa oil: possible implications of the pathogenesis of Reye's syndrome. Pediatric Research 22: 184-187.
- Koley, K.M., Lal, J., (1994) Pharmacological effects of *Azadirachta indica* (neem) leaf extract on the ECG and blood pressure of rat. Indian Journal of Physical Pharmacology. Jul; 38(3): 223-225.
- Kroes, B.H., Van den Berg, A.J.J., Labadie, R.P., Abeysekera, A.M., de Silva, K.T.D. Impact of the preparation process on immuno-modulatory activities of the Ayurvedic drug *Nimba arishta*. Phytochemistry Research, v. 7(1): pp.35-40, 1993 (10 ref, Eng).

# L

- Lal, R., Sankaranarayanan, A, Mathur, V.S. and Sharma, P.L. (1985) Antifertility effect of neem oil in female albino rats by intravaginal and oral routes. *Indian Journal of Medical Research*. 83: 89-92.
- Lal, R., Gandhi, M., Sankaranarayanan, A., Mathur, V.S. and Sharma, P.L. (1987) Antifertility effect of *Azadirachta indica* oil administered per os to female albino rats on selected days of pregnancy. *Fitoterapia*. 58: 239-242.
- Larson, R.O. (1987) Development of Margosan-O, a pesticide from neem seed. In *Proceedings of the 3rd International Neem Conference, Nairobi, Kenya, July 10, 1986* pp. 243-250.
- Larson, R.O., *Neem: the tree for today, tomorrow and beyond*. Presentation to the American Chemical Society Annual Meeting. March 31, 1993.
- Lavie, D., Levy, E.C. and Jain, M.K. (1971) Limonoids of biogenetic interest from *Melia azadirachta*. *Tetrahedron* 27: 3927-3939.
- Lee, D. Personal communication.
- Liu, T.P.S., Spons, P., Nasr, M.E. *Integrated bee diseases and parasite management*. Project Nbr. 380-1352-8102. University of Alberta, Faculty of Agriculture and Forestry.
- Lorenz, H.K.P., (1976) Neem tree bark extract in the treatment of inflammatory stomatitis. *Zahnaerztl. Praxis* 8: 1-4.
- Luscombe, D.K., Taha, S.A. (1974) Pharmacological studies on the leaves of *Azadirachta indica*. *Journal of Pharmacy and Pharmacology*. 26: Suppl. 111.



- Mateenuddin, M., Kharaitkin, K.K., Mendhulkar, K.N., and Sadre, N.L. (1986) Assessment of estrogenicity of neem (*Azadirachta indica*) leaf extracts in rats. *Indian Journal of Physiology and Pharmacology* 30: 118-120.
- Mitra, C.R. (1961) Some important characteristics of neem oil and its standardization. *Indian Oil Seeds Journal*. Vol. 3. p 204-207.
- Mitra, C.R. and Misra, P.S. (1967) Amino acids of processed seed meal proteins. *Journal of Agricultural Food Chemistry* 15: 697-700.
- Mukerjee, S., Talwar, G.P. (1996) Termination of pregnancy in rodents by oral administration of Praneem, a purified neem seed extract. *Am J Reprod Immunol*, Jan; 35(1):51-6.
- Mukherjee, S., Lohiya, N.K., Pal, R., Sharma, M.G., Talwar, G.P. (1996) Purified neem (*Azadirachta indica*) seed extracts (Praneem) abrogate pregnancy in primates. *Contraception*. Jun; 53(6):375-8.
- Murthy, S.P. and Sirsi, M. (1958a) Pharmacological studies on *Melia azadirachta*. L. *Indian Journal of Physiological Pharmacology*. 2: 387-396.
- Murthy, S.P. and Sirsi, M. (1958b) Pharmacological studies on *Melia azadirachta*. L. *Indian Journal of Physiological Pharmacology*. 2: 456-461.
- Murty, K.S., Rao, D.N., Rao, D.K. and Murty, L.B.G. (1978) A preliminary study on the hypoglycemic and antihyperglycemic effects of *Azadirachta indica*. *Indian Journal of Pharmacology*. 10: 247-250.

# N

- Nadkarni, K.M. and Nadkarni, A.K. (1954) Indian materia medica. 3rd ed. Vol. 1. Popular Book Depot, Bombay, India. pp. 776-784.
- Nagpal, B.N., Srivastava, A., Sharma, V.P., (1995) Control of mosquitoes breeding using wood scrapings treated with neem oil. Indian J. Malariol. (Jun32(2):64-9.
- Narayan, D.S. (1965) The antifungal activity of neem oil and its constituents. Mediscope. Vol. VIII, No. 6. p 323–326.
- Narayan, D.S. (1969) Anti pyretic effect of neem oil and its constituents. Mediscope. Vol. XII. No.1



- Obasiki, A.O, Adeyi, O. and Anyabuike, C. (1985) Some serum enzyme levels as marks of possible acute effects of the aqueous extract of *Azadirachta indica* on membranes in vitro. *Fitoterapia*. 56: 111-115.
- Obasiki, A.O. and Jegede-Fadunsin, H.A. (1986) The antimalarial activity of *Azadirachta indica*. *Fitoterapia* 57: 247-251.
- Obih, P.O. and Makinde, J.M. (1985) Effect of *Azadirachta indica* on *Plasmodium berghei berghei* in mice. *African Journal of Medicine and Medical Sciences* 14: 51-54.
- Okpako, D.T. (1977) Prostaglandin synthetase inhibitory effect of *Azadirachta indica*. *Journal of West African Science Association*. 22: 45-47.
- Okpanyi, S.N. and Ezeukwa, G.C. (1981). Anti-inflammatory and anti-pyretic actions of *Azadirachta indica*, *Plant Med*. 41: 34-39.



- Paranjapo, M.H. and Paranjapo, M.M. (1993) Use of neem oil (*azadirachta indica*) suppositories as contraceptive. Proceedings of the World Neem Conference, Bangalore, India. Feb. 24-28, 1993.
- Parashar, K.S., Prasad, R.P., Sharma, S.N. and Singh, S. (1980) Efficiency of urea, nitrification inhibitor treated urea and slow release nitrogen fertilizers for sugarcane. *Z. Pflanzenernaehr. Dueng, Bodenbed.* 143: 262-267.
- Parshad, O., et.al. (1994) Effect of aqueous neem (*Azadirachta indica*) extract on testosterone and other blood constituents in male rats. *West Indian Medical Journal*, Sep; 43(3):71-4.
- Patel, R.P and Trivedi, B.M. (1962) The in vitro antibacterial activity of some medicinal oils. *Indian Journal of Medical Research* 50: 218-222.
- Patel, M.S., (1965) Development of minor and non-edible oils. Report of the special subcommittee. Indian Oil Seeds Committee. Hyderabad, India pp. 17-27.
- Patel, V.K., Venkatakrishna-Blatt, H.(1988) Folklore therapeutic indigenous plants in periodontal disorders in India (review experimental and clinical approach) *Int J Clin Pharmacol Ther Toxicol.* Apr; 26(4):176-84.
- Pettit, G.R., Barton, H.D.R., Herald, G.L., Polonsky, J., Schmidt, J.M. and Conolly, J.D. (1983). Evaluation of limonoids against murine P-388 lymphocytic leukemia cell line. *J. Nat. Prod.* 46: 379-390.
- Pillai, N.R., Suganthan, D., Seshadri, C. and Santhakumari, G. (1978a) Anti-gastric ulcer activity of nimbidin. *Indian Journal of Medical Research.* 68: 169-175.

- Pillai, N.R., Suganthan, D., Seshadri, C. and Santhakumari, G. (1978b) Analgesic and anti-pyretic actions of nimbidin. *Bull. Med. Ethno. Bot. Res.* 1: 393-400.
- Pillai, N.R., Suganthan, D., and Santhakumari, G. (1980) Analgesic and anti-pyretic actions of nimbidin. *Bull. Med. Ethno. Bot. Res.* 1: 393-400.
- Pillai, N.R. and Santhakumari, G. (1981a) Anti-arthritic and anti-inflammatory actions of nimbidin. *Planta Medica* 43:59-63.
- Pillai, N.R. and Santhakumari, G. (1981b) Hypoglycemic activity of *Melia azadirachta* Linn (Neem). *Indian Journal of Medical Research* 74: 931-933.
- Pillai, N.R., Santhakumari, G. (1984a) Toxicity studies on nimbidin, a potential anti-ulcer drug. *Planta Medica* 50: 146-148.
- Pillai, N.R. and Santhakumari, G. (1984b) Effects of nimbidin on acute and chronic gastro-duodenal ulcer models in experimental animals. *Planta Medica* 50: 143-146.
- Pillai, N.R. and Santhakumari, G. (1984c) Some pharmacological actions of 'nimbin' - a bitter principle of *azadirachta indica* - A juss. (neem). *Ancient Science of Life*. Vol IV, No. 2. p 88-95.
- Prakash, A.O., Tewari, R.K. and Mathur, R. (1988) Non-hormonal post-coital contraceptive action of neem oil in rats. *Journal of Ethnopharmacology*. 23: 53-59.
- Prakash, A.O., Mishra, A., Metha, H. and Mathur, R. (1991) Effect of ethanolic extract of *Azadirachta indica* seeds on organs in female rats. *Fitoterapia*. Vol. LXII. No. 2. 99-105.
- Prasad, H.C., Mazumder, R. and Chakaborty, R. (1993) Research on two medicinal plants from 'Ayurvedic' system of medicine *Azadirachta indica* A juss and *Melia Azadirach* Linn. Their past, present and future. *Deerghayu International*. July - Sept.
- Puri, H.S. (1993). Therapeutic uses of neem. (unpublished)



- Quadri, S.S.H., Usha, G. and Jabeen, K. (1984) Sub-acute dermal toxicity of neemrich-100 (Tech) to rats. Int. Pest Control. 26: 18-20.



- Rai, A., Sethi, M.S. (1972). Screening of some plants for their activity against vaccinia and fowl-pox viruses. *Indian J. of Animal Science*. 42: 1066-1070.
- Rajasekbaran, S., Pillai, N.G.K.P., Kurup, P.B., Pillai, K.G.B. and Nair, C.P.R. (1980) Effects of nimbidin in psoriasis - a case report. *Journal of Res. Ayurveda*. 52-58.
- Ramakrishna, G., Prasad, N.B.L. and Azeemoddin, G. (1993) Cold processing neem seed. JNTU, Oil Technological Research Institute. Proceedings of the World Neem Conference, Bangalore, India. Feb. 24-28, 1993.
- Rao, A.R., Kumar, S.S.U., Paramasivam, T.B., Kamalakshi, S., Parashuraman, A.R., and Shantha, M. (1969) Study of antiviral activity of tender leaves of margosa tree (*Melia azadirachta*) on vaccinia and variola virus - A preliminary report. *Indian Journal of Medical Research* 57: 495-502.
- Rao, D.R., Ruben, R., Nagasampazi, B.A., (1995) Development of combined use of neem (*Azadirachta indica*) and water management for the control of culicine mosquitoes in rice fields. *Med Vet Entomol*. Jan;9(1):25-33.
- Rao, D.V.K., Singh, K., Chabra, P.C. and Ramanujilu, G. (1986) In vitro antibacterial activity of neem oil. *Indian Journal of Medical Research* 84: 314-316.
- Ray, A. (1992). Anti-stress effects of some indigenous drugs: Role of Dopamine. *International Seminar-Traditional Medicine*, 7-9 November, p. 99, 1992 (Eng).
- Riar, S.S, Bardham, J., Thomas, P., Kain, A.K. and Parshad, R. (1988) Mechanism of anti-fertility action of neem oil. *Indian Journal of Medical Research*. 88: 339-342.
- Riar, S.S., Devakumar, C., et. al. (1991) Antifertility activity of volatile fraction of neem oil. *Contraception*, Sep; 44(3):319-326.

- Riar, S.S., Sawhney, R.C., Llavazhagan, G., Roy, J.B., Kain, A.K., Thomas, P., Singh, R., Singh, B., Devakuman, C. Singh, M. and Sawhney, R.C. (1993) Neem as a contraceptive. Proceedings of the World Neem Conference, Bangalore, India. Feb. 24-28, 1993.
- Rochanakij, S., Thebtaranonth, Y., Yanjai, C. and Yutharong, Y. (1985) Nimbolide, a constituent of *Azadirachta indica* inhibits plasmodium falciparum in culture. Southeast Asian Journal of Tropical Medicine and Public Health 16: 66-72.
- Rojanapo, W., Suwanno, S., Somjaree, R., Glinsukon, T. and Thebtaranont, Y. (1985) Mutagenic and antibacterial activity testing of nimbolide and nimbic acid. Journal of the Scientific Society of Thailand. 11: 177-188.

# S

- Sadre, N.L., Deshpande, V.Y., Mendulkar, K.N. and Nandal, D.H. (1984). Male anti-fertility of *Azadirachta indica* in different species. In Proceedings of the 2nd International Neem Conference, Rauischholzhausen, W. Germany, May 25, 1983, pp 473-482.
- Sankaram, A.V.B., et. al. (1987) Chemistry, biological activity and utilization aspects of some promising neem extractives. In Proceedings of the 3rd International Neem Conference, Nairobi, Kenya, July 10, 1986. pp 127-148.
- Santhoshumari, K.S., Devi, K.S. (1990) Hypoglycemic effect of a few medicinal plants. *Ancient Science of Life*, 9(4): 221-223.
- Saraf, A.P., Joglekar, V.K., (1993) Study of effect of "Karnim" in patients of non insulin dependent diabetes mellitus.
- Sawanobori, H. (1978) *Melia azadirachta* (neem) extracts for skin cosmetics. *Chem. Abstr.*, 88: 11747s.
- Saxena, R.C., Khan, Z.R. and Bajet, N.B. (1985) Neem seed derivatives for preventing rice tungro virus transmission by the green leafhopper. *Nephot ettx Vikescens (Distant) Phil. Phyto Pathol.* 21: 88-102.
- Schmutterer, H., Institut für Phytopathologie und Angewandte Zoologie, Justus-Liebig-Universität, Ludwigstrasse 23, 6300 Giessen. As cited in "Neem - A Tree for Solving Global Problems", National Academy Press, 1992, pp 62.
- Schmutterer, H. and Ascher, K.R.S. (Eds.) (1985) Natural pesticides from the neem tree and other tropical plants. In Proceedings of the 3rd International Neem Conference. Nairobi, Kenya July 10, 1986.

- Schneider, B.H., (1986) The effect of neem leaf extracts on *Epilachna varivestis* and *Staphylococcus aureus*. 3rd International Neem Conference, Nairobi, Kenya pp. 73.
- Seddiqui, S., Faizi, S., Siddiqui, B.S., Ghiasuddin (1992) Constituents of *Azadirachta indica*: isolation and structure elucidation of a new antibacterial tetranortriterpenoid, mahmoodin, and a new protolimonoid, naheedin. *J Nat Prod. Mar*; 55(3):303-10.
- Sen, P., Mediratti, P., Ray, A. and Puri, S. (1993) An experimental evaluation of *azadirachta indica* (neem) in normal and stressed rats and adaptogenic effects.. Proceedings of the World Neem Conference, Bangalore, India. Feb. 24-28, 1993.
- Shah, M.P., Sheth, U.K., Bhide, N.K. and Shah, M.J. (1958). Clinical trials with parenteral sodium nimbidinate, a new diuretic. *Indian Journal of Medical Science*. 12: 150-153.
- Shankaranarayan, D. (1978) Effect of neem oil and its constituents on cotton pellet inflammation. *Mediscope*. Vol. XX. No. 12 273-274.
- Sharma, U.N. and Saksena, K.P. (1959) Sodium nimbidinate in vitro study of its spermicidal action. *Indian Journal of Medical Science*. 13: 1038-1041.
- Sharma, U.N. and Saksena, K.P. (1959) Spermicidal activity of sodium nimbidinate. *Indian Journal of Medical Science*. 47: 322-325.
- Sharma, M.K., Khare, A.K. and Feroz, H. (1983) Effect of neem oil on blood levels of normal, hyperglycemic and diabetic animals. *Nagarjun* 26: 247-250.
- Sharma, J.D., Jha, R.K., Gupta, I., Jain, P. and Dixit, V.P. (1987) Antiandrogenic properties of neem seed oil (*azadirachta indica*) in male rat and rabbit. *Ancient Science of Life*. Vol. VII., No. 1. p 30-38.
- Sharma, V.P., Ansara, M.A., Razdan, R.K., (1993) Mosquito repellent action of neem (*Azadirachta indica*) oil. *J. Am. Mosq Control Assoc*. Sep;9(3):359-60.

- Sharma, V.P., Dhiman, R.C., (1993) Neem oil as a sand fly (Diptera psychodidae) repellent. J. Am. Mosq Control Assoc. Sep; 9(3): 359-60.
- Sharma, V.P., Ansara, M.A., Personal protection from mosquitoes (Diptera culicidae) by burning neem oil in kerosene. Malaria Research Centre (ICMR) Delhi, India.
- Sharma, V.P., Nagpal, B.N., Srivastava, Aruma, (1993) Effectiveness of neem oil mats in repelling mosquitoes. Transactions of the Royal Society of Tropical Medicine and Hygiene. 87:626.
- Siddiqui, S. and Mitra, C.R. (1945) Utilization of nim oil and its bitter constituents (nimbidin series) in the pharmaceutical industry. Journal of Scientific and Industrial Research. 4: 5-10.
- Simons, N.J. (1981) Innovative methods of control of insect transmitted viral disease. In Vector of disease agents: Interaction with plants, animals and men. Edited by J.K. McKelvey, J., K. Maramor and B.F. Eldnge. New York 169-178.
- Singh, H. (1988) Ethno biological treatment of piles by Bhoxas of Utter Pradesh. Ancient Science of Life. Vol. VIII, No. 2. 167-170.
- Singh, P.P., Junnarkar, A.Y., Reddi, G.S. and Singh, K.V. (1987) Azadirachta indica neuro-psychopharmacological and anti-microbial studies. Fhitoterpia 58, 235-238.
- Singh, N. and Sastry, M.S. (1981) Anti-microbial activity of neem oil. Indian Journal of Pharmacology. 13: 102.
- Singh, N., Misra, N., Singh, S.P. and Kohli, R.P. (1979). Melia azadirachta in some common skin disorders, a clinical evaluation. Antiseptic. 76: 677-679.
- Singh, N., Nath, R., Singh, S.P. and Kohli, R.P. (1980) Clinical evaluation of anthelmintic activity of Melia azadirachta. Antiseptic. 77: 739-741.

- Sinha, K.C., Riar, S.S., Tiwary, R.S., Dhawan, A.K., Bardhwan, J., Thomas, P., Kain, A.K. and Jain, R.K. (1984) Neem oil as a vaginal contraceptive. *Indian Journal of Medical Research*. 79: 131-136.
- Sinha, K.C., Riar, S.S., Bardhan, J., Thomas, P., Kain, A.K. and Jain, R.K. (1984) Anti implantation effect of neem oil. *Indian Journal of Medical Research*. (80) 708 - 710.
- Sinniah D. and Baskaran, G. (1981) Margosa oil poisoning as a cause of Reye's syndrome. *Lancet* 1: 487-489.
- Sinniah, D., Sinniah, D., Sceartz, P.H., Mitchell, R.A. and Areinue, E.L.. (1985) Investigation of an animal model of a Reye-like syndrome caused by margosa oil. *Pediatric Research* 19, 1346-1355.
- Skellon, J.H., Thorburn, S., Spence, J., and Chatterjee, S.N. (1962). The fatty acids of neem oil and their reduction products. *Journal of Scientific Food Agriculture*. 13: 639-643.
- Skula, R. Singh, S. and Bhandari, C.R. (1973) Preliminary clinical trials on antidiabetic actions of *Azadirachta indica*. *Medicine and Surgery* 13: 11-12.
- Stricklen, M., Saxena, R.C. (1991) Potential for cloning genes from neem for insect resistance in crop plants.
- Swainalakshmi, T., Gomathi, K., Sulochana, N., Amala Baskar, E. and Parnar, N.S. (1981) Anti-inflammatory activity of (-)-epicatechin, a bioflavonoid isolated from *Anacardium occidentale* Linn. *Indian Journal of Pharmaceutical Sciences*.

# T

- Talwar, G.P., Pal, R., Singh, O., Garg, S., et. al., (1995) Safety of intrauterine administration of purified neem seed oil (Praneem Vilci) in women and effect of its co-administration with the heterospecies dimer birth control vaccine on antibody response to human chorionic gonadotropin. *Indian J Med Res.* Aug; 102:66-70.
- Talwar GP, Shah S, Mukherjee S, Chabra R (1997) Induced termination of pregnancy by purified extracts of *Azadirachta Indica* (Neem): mechanisms involved. *Am J Reprod Immunol* 1997 Jun; 37(6):485-91.
- Tandan, S.K., Gupta, S., Chandra, S. and Lal, J. (1988) Increasing action of vascular permeability by *azadirachta indica* seed-oil (neem oil). *Indian Journal of Pharmacology.* 20: 203-205.
- Tandan, S.K., Chandra, S., Gupta, S., Tripathi, H.C. and Lal, J. (1990) Pharmacological effects of *azadirachta indica* leaves. *Fitoterapia.* Vol. LXI, No. 1. pp 75-78.
- Tewari, R.K., Mathur, R. and Prakash, A.O. (1986) Post-coital antifertility effect of neem oil in female albino rats. *International Research Communication System of Medical Sciences* 14, 1005-1006.
- Tewari, R.K., Pathak, Sandhya, Prakash, A.O, (1989) Biochemical and Histological studies of reproductive organs in cyclic and ovariectomized rats supporting a non-hormonal action for neem oil. *Journal of Ethnopharmacology,* 25;281-293.
- Thaker, A.M. and Anjaria, J.V. (1986) Antimicrobial and infected wound healing response of some traditional drugs. *Indian Journal of Pharmacology.* 171-174.
- Thind, T.S., Dahiya, M.S., (1977) Inhibitory effects of essential oils of four medicinal plants against keratinoholic fungi. *East. Pharm.* 20: 147-148.

- Tirimanna, A.S.L. (1984) Surveying the chemical constituents of neem leaf by two-dimensional thin layer chromatography. In Proceedings of the 2nd International Neem Conference, Rauschholzhausen, W. Germany. May 25, 1983. pp 67-74.
- Thompson, E.B. and Anderson, C.C. (1978) Cardiovascular effects of *Azadirachta indica* extract. *J. of Pharmacological Science.* 67: 1476-1478.



- Unander, D.W. Division of Population Oncology, Fox Chase Cancer Center, 7701 Burholme Ave., Philadelphia, PA. 19111. As cited in "Neem - A Tree for Solving Global Problems, National Academy Press, 1992, p. 62.
- Upadhyay, R.K. and Arora, D.K. (1975) Sporostatic nature of neem smoke and its possible ecological influence on air fungal flora of a polluted site. *Journal of Scientific Research*. Vol. XXVI, 125-129.
- Upadhyay, S., Dhawan, S., Garg, S., Talwar, G.P. (1992) Immunomodulatory effects of neem (*Azadirachta indica*) oil. *Int J Immunopharmacol*. Oct; 14(7):1187-93.
- Upadhyay, S., Kaushic, C. and Talwar, G.P (1990) Antifertility effects of neem (*Azadirachta indica*) oil by intrauterine administration: a novel method for contraception. *Proceedings of the Royal Society of London*. 242: 175-179.
- Upadhyay, S.N., Dhewan, S., Garg, S., Wali, N., Tucker, L., and Anderson, D.J. (1993) Immuno-modulatory properties of neem (*azadirachta indica*). *Proceedings of the World Neem Conference, Bangalore, India*. Feb. 24-28, 1993.
- Upadhyay, S.N., Dhewan, Talwar, G.P., (1993) Antifertility effects of neem (*Azadirachta indica*) oil in male rats by single intra-vas administration: an alternative approach to vasectomy. *J Androl*, Jul-Aug; 14(4):275-81.
- Upadhyay, S.N., Dhewan, Sharma, M.G., Talwar, G.P., (1994) Long term contraceptive effects of intrauterine neem treatment (IUNT) in bonnet monkeys: an alternative to intrauterine contraceptive devices (IUCD). *Contraception* Feb; 49:161-169.
- Uwaifo, A.O. (1984) The mutagenicities of seven coumarin derivatives and furan derivatives (nimbolide) isolated from three medicinal plants. *Journal of Toxicology and Environmental Health*. 13: 521-530.



- Van der Nat, J.M., Van der Sluis, W.G. de Haan, A.H.J.M., de Silva, K.T.D. and Labadie, R.P. (1986) Ethnopharmacological study of azadirachta indica. A conceptual evaluation. *Plant Medicines*. No. 6 p 552.
- Van der Nat, J.M., Klerx, J.P.A.M., Van Dijk, H., De Silva, K.T.D. and Labadie, R.P. (1987) Immunomodulatory activity of aqueous extract of Azadirachta indica stem bark. *Journal of Ethnopharmacology* 19, 125-131.
- Van der Nat, J.M., 't Hart, L.A., Vander Sluis, W.G., Van Dijk, H., Van den Berg, A.J.J., De Silva, K.T.D. and Labadie, R.P. (1989) Characterization of anti-complement compounds from Azadirachta indica, *Journal of Ethnopharmacology* 27, 15-24.
- Van der Nat, J.M., Van der Sluis, W.G., t' Hart, L.A., Van Dijk, H., De Silva, K.T.D. and Labadie, R.P. (1991) Activity-guided isolation and identification of Azadirachta indica A. Juss. (Meliaceae) bark extract constituents, which specifically inhibit human polymorphonuclear leukocytes. *Planta Medica*, in press.
- Varghese, G., Baskaran, G., and Koos., S.H. (1983) Fungal flora of neem (Azadirachta indica) seeds and neem oil toxicity. *Malays. Appl. Biol.* 12: 1-4.
- Vashi, I.G. and Patel, H.C. (1988) Amino acids content and microbial activity of azadirachta indica A juss. *Journal of Inst. Chemists (India)* Vol. 60. 43-44.
- Vijayalakshmi, K., Gaur, H.S. and Gosuremi, B.K. (1985) Neem for the control of plant parasitic nematodes. *Neem Newsletter* 2: 35-42.
- Vohora, S.B. (1986) What is purification of blood? *Hamdard*. Vol XXVIII, No. 1. 72 - 84.

## W

- Wagh, Shrikant Y., (1988) Clinical studies in viral hepatitis. *Deerghayu International*; 4(4):17-19.
- Wali, N., Dhavan, S., Garg, S., Upadhyay, S.N. (1993) Anti inflammatory effect of neem leaf extract. *Proceedings of the World Neem Conference, Bangalore, India. Feb. 24-28, 1993.*
- Wolinsky, L.E., Mania, S., Nachani, S., Ling, S. (1996) The inhibiting effect of aqueous *Azadirachta indica* (neem) extract upon bacterial properties influencing in vitro plaque formation. *J Dent Res. Feb; 75(2):816-22.*

## X Y Z

- Zeppenfeldt, H. (news release - Dr. Grandel) Deflator et protector Paractol - flussig der Deutsche apotheker. "Neem extrakt - ein interessanter wirkstoff fur die zahn - und mundhygiene.